

Material Safety Data Sheet

May be used to comply with OSHA's
Hazard Communication Standard, 29 CFR 1910.1200

IDENTITY (As used on labels and List)

Specific Hazard	Personal Protection
4-Severe	X-Ask a supervisor
3-Serious	A-Safety Glasses
2-Moderate	B-Goggles, Gloves
1-Slight	C-Goggles, Gloves, Apron
0-Minimal	D-Goggles, Gloves, Apron, & Faceshield
<u>Health</u> (2)	<u>Reactivity</u> (0)
<u>Flammability</u> (0)	<u>Personal Protection</u> (B)

POWER PLUS

P302

SECTION I

MFGR'S NAME AND ADDRESS

CleanPak Products
5408 N 59TH ST. TAMPA, FL 33610

For additional information

813-740-8611

DATE PREPARED:

EMERGENCY TELEPHONE NUMBER

800-424-9300

01-03-05

SECTION II - HAZARDOUS INGREDIENTS/ IDENTITY INFORMATION

Hazardous Components	OSHA PEL	ACGIH	TLV	Other	% Optional
Specific Chemical Identity	LIMITS				
Common Name(s)	Recommended				
*2-Butoxyethanol	50PPM		75PPM		9.27
CAS# 111-76-2					

*This mixture contains 9.27% of 2-Butoxyethanol which is subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR, Part 372.

SECTION III-PHYSICAL/CHEMICAL CHARACTERISICS

BOILING POINT (F) Over 212°F	SPECIFIC GRAVITY (H2O=1) 1.045
VAPOR PRESSURE (mm Hg.) N/A	MELTING POINT N/A
VAPOR DENSITY (air = 1) N/A	EVAPORATION RATE Less than 1
SOLUBILITY IN WATER Complete	(Butyl Acetate = 1)
APPEARANCE AND ODOR: Purple in color, water-thin liquid with a mild odor	

SECTION IV- FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (METHOD USED)	FLAMMABLE LIMITS	LEL	UEL
Closed Cup- Over 250°F	N/A	N/A	N/A

EXTINGUISHING MEDIA: Water Fog, Carbon Dioxide or Dry Chemical

SPECIAL FIRE FIGHTING PROCEDURES: Use self-contained breathing apparatus and protective clothing.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

