

Material Safety Data Sheet
Name R-0006 BDR REAGENT
Company TAYLOR TECHNOLOGIES INC

MSDS bwhjk
FSC 6810

MSDS Safety Information

FSC: 6810
MSDS Date: 02/01/1992
MSDS Num: BWHJK
LIIN: 00F006043
Product ID: R-0006 BDR REAGENT
MFN: 02
Responsible Party
Cage: E0526
Name: TAYLOR TECHNOLOGIES INC
Address: 31 LOVETON CIRCLE
City: SPARKS MD 21152-9201
Info Phone Number: 410-472-4340
Emergency Phone Number: 410-472-4340
Review Ind: Y
Published: Y

Preparer Co. when other than Responsible Party Co.

Cage: E0526
Assigned Ind: Y
Name: TAYLOR TECHNOLOGIES INC
Address: 31 LOVETON CIRCLE
City: SPARKS MD 21152-9201

Contractor Summary

Cage: E0526
Name: TAYLOR TECHNOLOGIES INC
Address: 31 LOVETON CIRCLE
City: SPARKS MD 21152-9201
Phone: 410-472-4340
Cage: 89975
Name: TAYLOR TECHNOLOGIES, INC
Address: 31 LOVETON CIRCLE
City: SPARKS MD 21152
Phone: 401-472-4340

Ingredients

Cas: 497-19-8
RTECS #: VZ4050000
Name: SODIUM CARBONATE (SODA ASH, TRONA, CARBONIC ACID, CRYSTOL
CARBONATE,
DISODIUM CARBONATE)
% Wt: ANDlt;1

Cas: 7732-18-5
RTECS #: ZC0110000
Name: WATER
% Wt: ANDlt;100

Health Hazards Data

LD50 LC50 Mixture: ORAL LD50 (RAT): 4090 MG/KG (SEE SUP)
Route Of Entry Inds - Inhalation: NO
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: EYES/SKIN: IRRITATION. INGESTION: GI IRRITATION.
Explanation Of Carcinogenicity: NONE

Signs And Symptions Of Overexposure: IRRITATION.

Medical Cond Aggravated By Exposure: EYE ANDamp; SKIN CONDITIONS.

First Aid: EYES: IMMEDIATELY FLUSH W/WATER FOR 15 MINS. SKIN: WASH THOROUGHLY

W/SOAP ANDamp; WATER. INGESTION: GIVE LARGE AMOUNTS OF WATER. DON'T INDUCE

VOMITING. OBTAIN MEDICAL ATTENTION IN ALL CASES.

Handling and Disposal

Spill Release Procedures: NEUTRALIZE. ABSORB W/VERMICULITE/OTHER INERT MATERIAL. CONTAINERIZE FOR LATER DISPOSAL.

Neutralizing Agent: DILUTE ACID

Waste Disposal Methods: INCINERATION/OTHER METHOD IAW/FEDERAL, STATE ANDamp;

LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN A COOL, DRY AREA. AVOID DIRECT

SUNLIGHT.

Other Precautions: AVOID CONTACT W/EYES, SKIN ANDamp; CLOTHING. AVOID BREATHING

CHEMICAL.

Fire and Explosion Hazard Information

Fire Fighting Procedures: WEAR SCBA (IN POSITIVE PRESSURE) ANDamp; FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: MAY REACT VIOLENTLY W/STRONG ACIDS, FLUORINE,

ALUMINUM, LITHIUM METALS ANDamp; PHOSPHORUS PENTOXIDE.

Control Measures

Protective Gloves: GENERAL PURPOSE

Eye Protection: SAFETY GLASSES

Other Protective Equipment: LAB COAT

Work Hygienic Practices: WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health: ORAL LD50 INFORMATION IS FOR SODIUM CARBONATE.

Physical/Chemical Properties

B.P. Text: 212F

Vapor Pres: 17

Vapor Density: 0.6

Spec Gravity: 1

PH: 11.2

Solubility in Water: COMPLETE

Appearance and Odor: CLEAR COLORLESS LIQUID W/NO ODOR

Percent Volatiles by Volume: 99

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT, TEMPS, DIRECT SUNLIGHT.

Materials To Avoid: STRONG ACIDS, FLUORINE, METALS, PHOSPHORUS PENTOXIDE.

Hazardous Decomposition Products: MAY EMIT TOXIC FUMES OF SODIUM OXIDE AND CARBON

DIOXIDE.

Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

HAZCOM Label

Product ID: R-0006 BDR REAGENT

Cage: E0526

Assigned IND: Y

Company Name: TAYLOR TECHNOLOGIES INC
Street: 31 LOVETON CIRCLE
City: SPARKS MD
Zipcode: 21152-9201
Health Emergency Phone: 410-472-4340
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G
Hazard And Precautions: EYES/SKIN: IRRITATION. INGESTION: GI
IRRITATION.

IRRITATION.

Disclaimer

(provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or

viability by or to any person or persons outside the Department of Defense

nor any person or persons contracting with any instrumentality of the United

States of America and disclaims all liability for such use. Any person

utilizing this instruction who is not a military or civilian employee of the

United States of America should seek competent professional advice to verify

and assume responsibility for the suitability of this information to their

particular situation regardless of similarity to a corresponding Department

of Defense or other government situation.